



Prominent Australia Pty. Ltd.

Supplier and Distributor for Liquid Paints & Powder Coating Products

W: www.prominentaustralia.com.au E: support@prominentaustralia.com.au

MATERIAL SAFETY DATA SHEET

SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION

IDENTITY (As used on label and list):

Product Name: - Antique Silver

SECTION 2: CHEMICAL IDENTITY & CHEMICAL COMPOSITION

Chemical Name:	Trade Name and Synonym:
Antique Silver	Antique Silver

CHEMICAL COMPOSITION:-

S.NO.	INGREDIENTS	CAS NO.	APPROX.%
1	SD Polyester Resin	61926-16-7	55-65
2	Carbon Black	1333-86-4	2-5
3	Curing Agent	6334-25-4	8-10
4	Anti Corrosive Pigment	--	25-35
5	Others	--	10-15

SECTION 3: HAZARDS IDENTIFICATION

This product is not hazardous when handled under normal conditions of use.

By excessive exposure to dust from Powder Coatings, eye & respiratory tract irritation is possible.

Health Hazards (Acute and Chronic)

Chronic effect of overexposure: Health Hazards (Acute and Chronic) Acute effects of overexposure: Vapors or mist may cause mucous membrane irritation and upper respiratory tract discomfort. High concentration may result in headache, nausea, insensibility and other central nervous system effects.

Other Hazards

Other hazards which do: Fine dust clouds may form explosive mixtures with air. Handling and/or processing not result in classification of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

SECTION 4: FIRST AID MEASURES

Inhalation: Using proper respiratory protection, immediately remove the effected victim from exposure. Administer artificial respiration if breathing is stopped. Call for prompt medical attention.

Eyes: Gently rinse the affected eyes with clear water for 15 minutes. Arrange for transport to the nearest medical facility for examination and treatment by a physician as soon as possible.

Skin: Remove all contaminated clothing, shoes and socks as quickly as possible. Wash affected area under running water using a mild soap.

Ingestion: Rinse mouth with water and dilute with water. Induce vomiting

SECTION: 5 FIRE AND EXPLOSION HAZARD DATA

Extinguishing Media: Dry chemical powder, foam or carbon dioxide.

Special Fire Fighting Procedure

Remove all ignition sources, Keep personnel not involved with emergency activities away and upwind of fire. Water spray may be ineffective and may cause fire to spread. Water may be used to cool closed containers in order to prevent pressure build up which may result in an explosion. Use self contained breathing apparatus and protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Action to be taken for spills & leaks	:	The area should be kept well ventilated. Spillage removed by swabbing with water soaked rags.
Precautions with respect to environment	:	Avoid discharge into the environment. If the product contaminates lakes, rivers or sewers, inform appropriate authorities in accordance with local regulations.
Cleaning up spillage	:	Sweep up into suitable containers for disposal.

SECTION 7: PRECAUTIONS FOR HANDLING AND USE

Handling:

- . Handle in a well ventilated area
- . Seal the containers every time
- . Prohibit the nearby use of fire, sparks and high temperature.
- . As a measure against static electricity, ground the equipment and use explosion proof type of electrical equipment
- . Use spark prevention type tools
- . Immerse used rags, paint chip and spray dust, etc in water until they are discarded.
- . For work in a sealed location, have adequate local ventilation equipment and wear appropriate protective gear.
- . Spontaneous combustion may occur if rags, paper or rollers to which spray dust or product adheres are piled up, so keep them immersed in water until they are discard.

Conditions for Safe Storage:

Store in a dry, well ventilated place at temperature below 30°C, away from heat and direct sunlight. Keep away from open flames, sparks, oxidising agents, strong alkaline and acid chemicals. Keep containers properly sealed to prevent cross-contamination and spills.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection (specify type)

Use self-contained breathing apparatus & protecting clothing

Ventilation	Local Exhaust Provide general dilution or local exhaust Ventilation.	Special
	Mechanical (General)	Other

Protective Gloves: Chemical – resistant gloves

Eye Protection: Goggles

Other Protective Equipment: Impervious clothing & boots

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State	: Fine Powder
Color	: Black
Odour	: Odourless
Percentage Volatile	: N. A.
Specific Gravity	: 1.45-1.60

SECTION 10. STABILITY AND REACTIVITY

Stability	Unstable		Conditions to avoid: Avoid moisture & extreme temperature.
	Stable	Stable under 25° C	

Hazardous Decomposition Product: CO, CO2

Hazardous	May occur		Condition to avoid: Avoid moisture & extreme temperature
Polymerization	will not occur	√	

SECTION 11. TOXICOLOGICAL AND ECOLOGICAL INFORMATION

- . No experimental data for the product available
 - . Respiratory exposure to the solvent may lead to coughing, headache, dizziness, sickness, vomiting and drowsiness
 - . Long term exposure may lead to effect to the nervous system.
 - . Frequent or continuous skin contact causes irritation and may lead to dermatitis.
-

SECTION 12: ECOLOGICAL INFORMATION

It must not be allowed to reach soil, ground water or drains.

SECTION 13: DISPOSAL INFORMATION

Burn in a chemical incinerator with afterburner and scrubber.

Precautions to be taken in handling and storing:

1. Do not use in poorly ventilated or confined space without proper respiratory protection.
 2. Keep container closed when not in use.
 3. Store only in closed, properly labeled containers.
 4. Store to a cool place, away from heat & sources of ignition.
 5. Keep containers upright to prevent leakage.
 6. Dispose off in accordance with all applicable Local, State and country laws.
-

Other Precautions

1. Do not get in eyes.
 2. Avoid skin contact.
 3. Prevent repeated or prolonged breathing of vapors or spray mist.
-

SECTION 14. TRANSPORT INFORMATION

Class	Not Applicable
Packing Group	Not Applicable
Un number	Not Regulated
Designation of Goods	Powder

SECTION 15. REGULATORY INFORMATION

S22 : Do not breathe dust

S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 : After contact with skin, wash immediately with plenty of soap and water.

S61 : Avoid release to the environment . Refer to special instructions / Safety data sheets.



Prominent Australia Pty. Ltd.

Supplier and Distributor for Liquid Paints & Powder Coating Products

W: www.prominentaustralia.com.au E: support@prominentaustralia.com.au

MATERIAL SAFETY DATA SHEET

SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION

IDENTITY (As used on label and list):

Product Name: - Glossy Black

SECTION 2: CHEMICAL IDENTITY & CHEMICAL COMPOSITION

Chemical Name:

Trade Name and Synonym:

Glossy Black

Glossy Black

CHEMICAL COMPOSITION:-

S.NO.	INGREDIENTS	CAS NO.	APPROX. %
1	SD Polyester Resin	61926-16-7	70-85
2	Carbon Black	1333-86-4	2-4
3	Performance Pigment	7727-43-7	10-20
4	Curing Agent	6334-25-4	3-10
5	Additive	--	5-10
6	Others	--	10-15

SECTION 3: HAZARDS IDENTIFICATION

This product is not hazardous when handled under normal conditions of use.

By excessive exposure to dust from Powder Coatings, eye & respiratory tract irritation is possible.

Health Hazards (Acute and Chronic)

Chronic effect of overexposure: Health Hazards (Acute and Chronic) Accute effects of overexposure: Vapors or mist may cause mucous membrane irritation and upper respiratory tract discomfort. High concentration may result in headache, nausea, insensibility and other central nervous system effects.

Other Hazards

Other hazards which do : Fine dust clouds may form explosive mixtures with air. Handling and/or processing not result in classification of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

SECTION 4: FIRST AID MEASURES

Inhalation: Using proper respiratory protection, immediately remove the effected victim from exposure. Administer artificial respiration if breathing is stopped. Call for prompt medical attention.

Eyes: Gently rinse the affected eyes with clear water for 15 minutes. Arrange for transport to the nearest medical facility for examination and treatment by a physician as soon as possible.

Skin: Remove all contaminated clothing, shoes and socks as quickly as possible. Wash affected area under running water using a mild soap.

Ingestion: Rinse mouth with water and dilute with water. Induce vomiting

SECTION: 5 FIRE AND EXPLOSION HAZARD DATA

Extinguishing Media: Dry chemical powder, foam or carbon dioxide.

Special Fire Fighting Procedure

Remove all ignition sources, Keep personnel not involved with emergency activities away and upwind of fire. Water spray may be ineffective and may cause fire to spread. Water may be used to cool closed containers in order to prevent pressure build up which may result in an explosion. Use self contained breathing apparatus and protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Action to be taken for spills & leaks	:	The area should be kept well ventilated. Spillage removed by swabbing with water soaked rags.
Precautions with respect to environment	:	Avoid discharge into the environment. If the product contaminates lakes, rivers or sewers, inform appropriate authorities in accordance with local regulations.
Cleaning up spillage	:	Sweep up into suitable containers for disposal.

SECTION 7: PRECAUTIONS FOR HANDLING AND USE

Handling:

- . Handle in a well ventilated area
- . Seal the containers every time
- . Prohibit the nearby use of fire, sparks and high temperature.
- . As a measure against static electricity, ground the equipment and use explosion proof type of electrical equipment
- . Use spark prevention type tools
- . Immerse used rags, paint chip and spray dust, etc in water until they are discarded.
- . For work in a sealed location, have adequate local ventilation equipment and wear appropriate protective gear.
- . Spontaneous combustion may occur if rags, paper or rollers to which spray dust or product adheres are piled up, so keep them immersed in water until they are discard.

Conditions for Safe Storage:

Store in a dry, well ventilated place at temperature below 30°C, away from heat and direct sunlight. Keep away from open flames, sparks, oxidising agents, strong alkaline and acid chemicals. Keep containers properly sealed to prevent cross-contamination and spills.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection (specify type)

Use self contained breathing apparatus & protecting clothing

Ventilation	Local Exhaust Provide general dilution or local exhaust Ventilation.	Special
	Mechanical (General)	Other

Protective Gloves: Chemical – resistant gloves

Eye Protection: Goggles

Other Protective Equipment: Impervious clothing & boots

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State	: Fine Powder
Color	: Black
Odour	: Odourless
Percentage Volatile	: N. A.
Specific Gravity	: 1.4-1.5

SECTION 10. STABILITY AND REACTIVITY

Stability	Unstable		Conditions to avoid: Avoid moisture & extreme temperature.
	Stable	Stable under 25° C	

Hazardous Decomposition Product: CO, CO2

Hazardous	May occur		Condition to avoid: Avoid moisture & extreme temperature
Polymerization	will not occur	√	

SECTION 11. TOXYCOLOGICAL AND ECOLOGICAL INFORMATION

- . No experimental data for the product available
 - . Respiratory exposure to the solvent may lead to coughing, headache, dizziness, sickness, vomiting and drowsiness
 - . Long term exposure may lead to effect to the nervous system.
 - . Frequent or continuous skin contact causes irritation and may lead to dermatitis.
-

SECTION 12: ECOLOGICAL INFORMATION

It must not be allowed to reach soil, ground water or drains.

SECTION 13: DISPOSAL INFORMATION

Burn in a chemical incinerator with afterburner and scrubber.

Precautions to be taken in handling and storing:

1. Do not use in poorly ventilated or confined space without proper respiratory protection.
2. Keep container closed when not in use.
3. Store only in closed, properly labeled containers.
4. Store to a cool place, away from heat & sources of ignition.
5. Keep containers upright to prevent leakage.
6. Dispose off in accordance with all applicable Local, State and country laws.

Other Precautions

1. Do not get in eyes.
 2. Avoid skin contact.
 3. Prevent repeated or prolonged breathing of vapors or spray mist.
-

SECTION 14. TRANSPORT INFORMATION

Class	Not Applicable
Packing Group	Not Applicable
Un number	Not Regulated
Designation of Goods	Powder

SECTION 15. REGULATORY INFORMATION

S22 : Do not breathe dust

S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 : After contact with skin, wash immediately with plenty of soap and water.

S61 : Avoid release to the environment . Refer to special instructions / Safety data sheets.

SECTION 16: OTHER INFORMATION

Note: The information in this MSDS is obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty, express or implied.



Prominent Australia Pty. Ltd.

Supplier and Distributor for Liquid Paints & Powder Coating Products

W: www.prominentaustralia.com.au E: support@prominentaustralia.com.au

MATERIAL SAFETY DATA SHEET

SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION

IDENTITY (As used on label and list):

Product Name: - Matt Black

SECTION 2: CHEMICAL IDENTITY & CHEMICAL COMPOSITION

Chemical Name:

Trade Name and Synonym:

Matt Black

Matt Black

CHEMICAL COMPOSITION:-

S.NO.	INGREDIENTS	CAS NO.	APPROX.%
1	SD Polyester Resin	61926-16-7	60-70
2	Carbon Black	1333-86-4	2-4
3	Performance Pigment	7727-43-7	10-20
4	Curing Agent	6334-25-4	3-10
5	Additive	--	5-10
6	Others	--	20-30

SECTION 3: HAZARDS IDENTIFICATION

This product is not hazardous when handled under normal conditions of use.

By excessive exposure to dust from Powder Coatings, eye & respiratory tract irritation is possible.

Health Hazards (Acute and Chronic)

Chronic effect of overexposure: Health Hazards (Acute and Chronic) Accute effects of overexposure: Vapors or mist may cause mucous membrane irritation and upper respiratory tract discomfort. High concentration may result in headache, nausea, insensibility and other central nervous system effects.

Other Hazards

Other hazards which do : Fine dust clouds may form explosive mixtures with air. Handling and/or processing not result in classification of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

SECTION 4: FIRST AID MEASURES

Inhalation: Using proper respiratory protection, immediately remove the effected victim from exposure. Administer artificial respiration if breathing is stopped. Call for prompt medical attention.

Eyes: Gently rinse the affected eyes with clear water for 15 minutes. Arrange for transport to the nearest medical facility for examination and treatment by a physician as soon as possible.

Skin: Remove all contaminated clothing, shoes and socks as quickly as possible. Wash affected area under running water using a mild soap.

Ingestion: Rinse mouth with water and dilute with water. Induce vomiting

SECTION: 5 FIRE AND EXPLOSION HAZARD DATA

Extinguishing Media: Dry chemical powder, foam or carbon dioxide.

Special Fire Fighting Procedure

Remove all ignition sources, Keep personnel not involved with emergency activities away and upwind of fire. Water spray may be ineffective and may cause fire to spread. Water may be used to cool closed containers in order to prevent pressure build up which may result in an explosion. Use self contained breathing apparatus and protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Action to be taken for spills & leaks	:	The area should be kept well ventilated. Spillage removed by swabbing with water soaked rags.
Precautions with respect to environment	:	Avoid discharge into the environment. If the product contaminates lakes, rivers or sewers, inform appropriate authorities in accordance with local regulations.
Cleaning up spillage	:	Sweep up into suitable containers for disposal.

SECTION 7: PRECAUTIONS FOR HANDLING AND USE

Handling:

- . Handle in a well ventilated area
- . Seal the containers every time
- . Prohibit the nearby use of fire, sparks and high temperature.
- . As a measure against static electricity, ground the equipment and use explosion proof type of electrical equipment
- . Use spark prevention type tools
- . Immerse used rags, paint chip and spray dust, etc in water until they are discarded.
- . For work in a sealed location, have adequate local ventilation equipment and wear appropriate protective gear.
- . Spontaneous combustion may occur if rags, paper or rollers to which spray dust or product adheres are piled up, so keep them immersed in water until they are discard.

Conditions for Safe Storage:

Store in a dry, well ventilated place at temperature below 30°C, away from heat and direct sunlight. Keep away from open flames, sparks, oxidising agents, strong alkaline and acid chemicals. Keep containers properly sealed to prevent cross-contamination and spills.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection (specify type)

Use self contained breathing apparatus & protecting clothing

Ventilation	Local Exhaust Provide general dilution or local exhaust Ventilation.	Special
	Mechanical (General)	Other

Protective Gloves: Chemical – resistant gloves

Eye Protection: Goggles

Other Protective Equipment: Impervious clothing & boots

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State	: Fine Powder
Color	: Black
Odour	: Odourless
Percentage Volatile	: N. A.
Specific Gravity	: 1.4-1.5

SECTION 10. STABILITY AND REACTIVITY

Stability	Unstable		Conditions to avoid: Avoid moisture & extreme temperature.
	Stable	Stable under 25° C	

Hazardous Decomposition Product: CO, CO2

Hazardous	May occur		Condition to avoid: Avoid moisture & extreme temperature
Polymerization	will not occur	√	

SECTION 11. TOXYCOLOGICAL AND ECOLOGICAL INFORMATION

- . No experimental data for the product available
- . Respiratory exposure to the solvent may lead to coughing, headache, dizziness, sickness, vomiting and drowsiness
- . Long term exposure may lead to effect to the nervous system.
- . Frequent or continuous skin contact causes irritation and may lead to dermatitis.

SECTION 12: ECOLOGICAL INFORMATION

It must not be allowed to reach soil, ground water or drains.

SECTION 13: DISPOSAL INFORMATION

Burn in a chemical incinerator with afterburner and scrubber.

Precautions to be taken in handling and storing:

1. Do not use in poorly ventilated or confined space without proper respiratory protection.
2. Keep container closed when not in use.
3. Store only in closed, properly labeled containers.
4. Store to a cool place, away from heat & sources of ignition.
5. Keep containers upright to prevent leakage.
6. Dispose off in accordance with all applicable Local, State and country laws.

Other Precautions

1. Do not get in eyes.
 2. Avoid skin contact.
 3. Prevent repeated or prolonged breathing of vapors or spray mist.
-

SECTION 14. TRANSPORT INFORMATION

Class	Not Applicable
Packing Group	Not Applicable
Un number	Not Regulated
Designation of Goods	Powder

SECTION 15. REGULATORY INFORMATION

S22 : Do not breathe dust

S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 : After contact with skin, wash immediately with plenty of soap and water.

S61 : Avoid release to the environment . Refer to special instructions / Safety data sheets.

SECTION 16: OTHER INFORMATION

Note: The information in this MSDS is obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty, express or implied.



Prominent Australia Pty. Ltd.

Supplier and Distributor for Liquid Paints & Powder Coating Products

W: www.prominentaustralia.com.au E: support@prominentaustralia.com.au

MATERIAL SAFETY DATA SHEET

SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION

IDENTITY (As used on label and list):

Product Name: - Ripple Black

SECTION 2: CHEMICAL IDENTITY & CHEMICAL COMPOSITION

Chemical Name:

Trade Name and Synonym:

Ripple Black

Ripple Black

CHEMICAL COMPOSITION:-

S.NO.	INGREDIENTS	CAS NO.	APPROX.%
1	SD Polyester Resin	61926-16-7	70-85
2	Carbon Black	1333-86-4	2-4
3	Performance Pigment	7727-43-7	10-20
4	Curing Agent	6334-25-4	3-10
5	Additive	--	5-10
6	Others	--	10-15

SECTION 3: HAZARDS IDENTIFICATION

This product is not hazardous when handled under normal conditions of use.

By excessive exposure to dust from Powder Coatings, eye & respiratory tract irritation is possible.

Health Hazards (Acute and Chronic)

Chronic effect of overexposure: Health Hazards (Acute and Chronic) Accute effects of overexposure: Vapors or mist may cause mucous membrane irritation and upper respiratory tract discomfort. High concentration may result in headache, nausea, insensibility and other central nervous system effects.

Other Hazards

Other hazards which do : Fine dust clouds may form explosive mixtures with air. Handling and/or processing not result in classification of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

SECTION 4: FIRST AID MEASURES

Inhalation: Using proper respiratory protection, immediately remove the effected victim from exposure. Administer artificial respiration if breathing is stopped. Call for prompt medical attention.

Eyes: Gently rinse the affected eyes with clear water for 15 minutes. Arrange for transport to the nearest medical facility for examination and treatment by a physician as soon as possible.

Skin: Remove all contaminated clothing, shoes and socks as quickly as possible. Wash affected area under running water using a mild soap.

Ingestion: Rinse mouth with water and dilute with water. Induce vomiting

SECTION: 5 FIRE AND EXPLOSION HAZARD DATA

Extinguishing Media: Dry chemical powder, foam or carbon dioxide.

Special Fire Fighting Procedure

Remove all ignition sources, Keep personnel not involved with emergency activities away and upwind of fire. Water spray may be ineffective and may cause fire to spread. Water may be used to cool closed containers in order to prevent pressure build up which may result in an explosion. Use self contained breathing apparatus and protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Action to be taken for spills & leaks	:	The area should be kept well ventilated. Spillage removed by swabbing with water soaked rags.
Precautions with respect to environment	:	Avoid discharge into the environment. If the product contaminates lakes, rivers or sewers, inform appropriate authorities in accordance with local regulations.
Cleaning up spillage	:	Sweep up into suitable containers for disposal.

SECTION 7: PRECAUTIONS FOR HANDLING AND USE

Handling:

- . Handle in a well ventilated area
- . Seal the containers every time
- . Prohibit the nearby use of fire, sparks and high temperature.
- . As a measure against static electricity, ground the equipment and use explosion proof type of electrical equipment
- . Use spark prevention type tools
- . Immerse used rags, paint chip and spray dust, etc in water until they are discarded.
- . For work in a sealed location, have adequate local ventilation equipment and wear appropriate protective gear.
- . Spontaneous combustion may occur if rags, paper or rollers to which spray dust or product adheres are piled up, so keep them immersed in water until they are discard.

Conditions for Safe Storage:

Store in a dry, well ventilated place at temperature below 30°C, away from heat and direct sunlight. Keep away from open flames, sparks, oxidising agents, strong alkaline and acid chemicals. Keep containers properly sealed to prevent cross-contamination and spills.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection (specify type)

Use self contained breathing apparatus & protecting clothing

Ventilation	Local Exhaust Provide general dilution or local exhaust Ventilation.	Special
	Mechanical (General)	Other
Protective Gloves: Chemical – resistant gloves		Eye Protection: Goggles

Other Protective Equipment: Impervious clothing & boots

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State	: Fine Powder
Color	: Black
Odour	: Odourless
Percentage Volatile	: N. A.
Specific Gravity	: 1.45-1.60

SECTION 10. STABILITY AND REACTIVITY

Stability	Unstable		Conditions to avoid: Avoid moisture & extreme temperature.
	Stable	Stable under 25° C	

Hazardous Decomposition Product: CO, CO₂

Hazardous	May occur		Condition to avoid: Avoid moisture & extreme temperature
Polymerization	will not occur	√	

SECTION 11. TOXICOLOGICAL AND ECOLOGICAL INFORMATION

- . No experimental data for the product available
 - . Respiratory exposure to the solvent may lead to coughing, headache, dizziness, sickness, vomiting and drowsiness
 - . Long term exposure may lead to effect to the nervous system.
 - . Frequent or continuous skin contact causes irritation and may lead to dermatitis.
-

SECTION 12: ECOLOGICAL INFORMATION

It must not be allowed to reach soil, ground water or drains.

SECTION 13: DISPOSAL INFORMATION

Burn in a chemical incinerator with afterburner and scrubber.

Precautions to be taken in handling and storing:

1. Do not use in poorly ventilated or confined space without proper respiratory protection.
2. Keep container closed when not in use.
3. Store only in closed, properly labeled containers.
4. Store to a cool place, away from heat & sources of ignition.
5. Keep containers upright to prevent leakage.
6. Dispose off in accordance with all applicable Local, State and country laws.

Other Precautions

1. Do not get in eyes.
2. Avoid skin contact.
3. Prevent repeated or prolonged breathing of vapors or spray mist.

SECTION 14. TRANSPORT INFORMATION

Class	Not Applicable
Packing Group	Not Applicable
Un number	Not Regulated
Designation of Goods	Powder

SECTION 15. REGULATORY INFORMATION

S22 : Do not breathe dust

S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 : After contact with skin, wash immediately with plenty of soap and water.

S61 : Avoid release to the environment . Refer to special instructions / Safety data sheets.

SECTION 16: OTHER INFORMATION

Note: The information in this MSDS is obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty, express or implied.



Prominent Australia Pty. Ltd.

Supplier and Distributor for Liquid Paints & Powder Coating Products

W: www.prominentaustralia.com.au E: support@prominentaustralia.com.au

MATERIAL SAFETY DATA SHEET

SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION

IDENTITY (As used on label and list):

Product Name: - Safety Yellow

SECTION 2: CHEMICAL IDENTITY & CHEMICAL COMPOSITION

Chemical Name:

Trade Name and Synonym:

Safety Yellow

Safety Yellow

CHEMICAL COMPOSITION:-

S.NO.	INGREDIENTS	CAS NO.	APPROX.%
1	SD Polyester Resin	61926-16-7	70-80
2	Pigment	6528-34-3	15-20
3	Performance Pigment	7727-43-7	5-10
4	Curing Agent	6334-25-4	3-10
5	Additive	--	5-10
6	Others	--	10-15

SECTION 3: HAZARDS IDENTIFICATION

This product is not hazardous when handled under normal conditions of use.

By excessive exposure to dust from Powder Coatings, eye & respiratory tract irritation is possible.

Health Hazards (Acute and Chronic)

Chronic effect of overexposure: Health Hazards (Acute and Chronic) Accute effects of overexposure: Vapors or mist may cause mucous membrane irritation and upper respiratory tract discomfort. High concentration may result in headache, nausea, insensibility and other central nervous system effects.

Other Hazards

Other hazards which do : Fine dust clouds may form explosive mixtures with air. Handling and/or processing not result in classification of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

SECTION 4: FIRST AID MEASURES

Inhalation: Using proper respiratory protection, immediately remove the effected victim from exposure. Administer artificial respiration if breathing is stopped. Call for prompt medical attention.

Eyes: Gently rinse the affected eyes with clear water for 15 minutes. Arrange for transport to the nearest medical facility for examination and treatment by a physician as soon as possible.

Skin: Remove all contaminated clothing, shoes and socks as quickly as possible. Wash affected area under running water using a mild soap.

Ingestion: Rinse mouth with water and dilute with water. Induce vomiting

SECTION: 5 FIRE AND EXPLOSION HAZARD DATA

Extinguishing Media: Dry chemical powder, foam or carbon dioxide.

Special Fire Fighting Procedure

Remove all ignition sources, Keep personnel not involved with emergency activities away and upwind of fire. Water spray may be ineffective and may cause fire to spread. Water may be used to cool closed containers in order to prevent pressure build up which may result in an explosion. Use self contained breathing apparatus and protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Action to be taken for spills & leaks	:	The area should be kept well ventilated. Spillage removed by swabbing with water soaked rags.
Precautions with respect to environment	:	Avoid discharge into the environment. If the product contaminates lakes, rivers or sewers, inform appropriate authorities in accordance with local regulations.
Cleaning up spillage	:	Sweep up into suitable containers for disposal.

SECTION 7: PRECAUTIONS FOR HANDLING AND USE

Handling:

- . Handle in a well ventilated area
- . Seal the containers every time
- . Prohibit the nearby use of fire, sparks and high temperature.
- . As a measure against static electricity, ground the equipment and use explosion proof type of electrical equipment
- . Use spark prevention type tools
- . Immerse used rags, paint chip and spray dust, etc in water until they are discarded.
- . For work in a sealed location, have adequate local ventilation equipment and wear appropriate protective gear.
- . Spontaneous combustion may occur if rags, paper or rollers to which spray dust or product adheres are piled up, so keep them immersed in water until they are discard.

Conditions for Safe Storage:

Store in a dry, well ventilated place at temperature below 30°C, away from heat and direct sunlight. Keep away from open flames, sparks, oxidising agents, strong alkaline and acid chemicals. Keep containers properly sealed to prevent cross-contamination and spills.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection (specify type)

Use self contained breathing apparatus & protecting clothing

Ventilation	Local Exhaust Provide general dilution or local exhaust Ventilation.	Special
	Mechanical (General)	Other

Protective Gloves: Chemical – resistant gloves

Eye Protection: Goggles

Other Protective Equipment: Impervious clothing & boots

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State	: Fine Powder
Color	: Yellow
Odour	: Odourless
Percentage Volatile	: N. A.
Specific Gravity	: 1.4-1.5

SECTION 10. STABILITY AND REACTIVITY

Stability	Unstable		Conditions to avoid: Avoid moisture & extreme temperature.
	Stable	Stable under 25° C	

Hazardous Decomposition Product: CO, CO2

Hazardous	May occur		Condition to avoid: Avoid moisture & extreme temperature
Polymerization	will not occur	√	

SECTION 11. TOXICOLOGICAL AND ECOLOGICAL INFORMATION

- . No experimental data for the product available
- . Respiratory exposure to the solvent may lead to coughing, headache, dizziness, sickness, vomiting and drowsiness
- . Long term exposure may lead to effect to the nervous system.
- . Frequent or continuous skin contact causes irritation and may lead to dermatitis.

SECTION 12: ECOLOGICAL INFORMATION

It must not be allowed to reach soil, ground water or drains.

SECTION 13: DISPOSAL INFORMATION

Burn in a chemical incinerator with afterburner and scrubber.

Precautions to be taken in handling and storing:

1. Do not use in poorly ventilated or confined space without proper respiratory protection.
 2. Keep container closed when not in use.
 3. Store only in closed, properly labeled containers.
 4. Store to a cool place, away from heat & sources of ignition.
 5. Keep containers upright to prevent leakage.
 6. Dispose off in accordance with all applicable Local, State and country laws.
-

Other Precautions

1. Do not get in eyes.
 2. Avoid skin contact.
 3. Prevent repeated or prolonged breathing of vapors or spray mist.
-

SECTION 14. TRANSPORT INFORMATION

Class	Not Applicable
Packing Group	Not Applicable
Un number	Not Regulated
Designation of Goods	Powder

SECTION 15. REGULATORY INFORMATION

S22 : Do not breathe dust

S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 : After contact with skin, wash immediately with plenty of soap and water.

S61 : Avoid release to the environment . Refer to special instructions / Safety data sheets.

SECTION 16: OTHER INFORMATION

Note: The information in this MSDS is obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty, express or implied.



Prominent Australia Pty. Ltd.

Supplier and Distributor for Liquid Paints & Powder Coating Products

W: www.prominentaustralia.com.au E: support@prominentaustralia.com.au

MATERIAL SAFETY DATA SHEET

SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION

IDENTITY (As used on label and list):

Product Name: - Satin Black

SECTION 2: CHEMICAL IDENTITY & CHEMICAL COMPOSITION

Chemical Name:	Trade Name and Synonym:
Satin Black	Satin Black

CHEMICAL COMPOSITION:-

S.NO.	INGREDIENTS	CAS NO.	APPROX.%
1	SD Polyester Resin	61926-16-7	60-65
2	Carbon Black	1333-86-4	2-4
3	Performance Pigment	7727-43-7	20-30
4	Curing Agent	6334-25-4	3-10
5	Additive	--	5-10
6	Others	--	10-15

SECTION 3: HAZARDS IDENTIFICATION

This product is not hazardous when handled under normal conditions of use.

By excessive exposure to dust from Powder Coatings, eye & respiratory tract irritation is possible.

Health Hazards (Acute and Chronic)

Chronic effect of overexposure: Health Hazards (Acute and Chronic) Accute effects of overexposure: Vapors or mist may cause mucous membrane irritation and upper respiratory tract discomfort. High concentration may result in headache, nausea, insensibility and other central nervous system effects.

Other Hazards

Other hazards which do : Fine dust clouds may form explosive mixtures with air. Handling and/or processing not result in classification of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

SECTION 4: FIRST AID MEASURES

Inhalation: Using proper respiratory protection, immediately remove the effected victim from exposure. Administer artificial respiration if breathing is stopped. Call for prompt medical attention.

Eyes: Gently rinse the affected eyes with clear water for 15 minutes. Arrange for transport to the nearest medical facility for examination and treatment by a physician as soon as possible.

Skin: Remove all contaminated clothing, shoes and socks as quickly as possible. Wash affected area under running water using a mild soap.

Ingestion: Rinse mouth with water and dilute with water. Induce vomiting

SECTION: 5 FIRE AND EXPLOSION HAZARD DATA

Extinguishing Media: Dry chemical powder, foam or carbon dioxide.

Special Fire Fighting Procedure

Remove all ignition sources, Keep personnel not involved with emergency activities away and upwind of fire. Water spray may be ineffective and may cause fire to spread. Water may be used to cool closed containers in order to prevent pressure build up which may result in an explosion. Use self contained breathing apparatus and protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Action to be taken for spills & leaks	:	The area should be kept well ventilated. Spillage removed by swabbing with water soaked rags.
---------------------------------------	---	---

Precautions with respect to environment	:	Avoid discharge into the environment. If the product contaminates lakes, rivers or sewers, inform appropriate authorities in accordance with local regulations.
---	---	---

Cleaning up spillage	:	Sweep up into suitable containers for disposal.
----------------------	---	---

SECTION 7: PRECAUTIONS FOR HANDLING AND USE

Handling:

- . Handle in a well ventilated area
- . Seal the containers every time
- . Prohibit the nearby use of fire, sparks and high temperature.
- . As a measure against static electricity, ground the equipment and use explosion proof type of electrical equipment
- . Use spark prevention type tools
- . Immerse used rags, paint chip and spray dust, etc in water until they are discarded.
- . For work in a sealed location, have adequate local ventilation equipment and wear appropriate protective gear.
- . Spontaneous combustion may occur if rags, paper or rollers to which spray dust or product adheres are piled up, so keep them immersed in water until they are discard.

Conditions for Safe Storage:

Store in a dry, well ventilated place at temperature below 30°C, away from heat and direct sunlight. Keep away from open flames, sparks, oxidising agents, strong alkaline and acid chemicals. Keep containers properly sealed to prevent cross-contamination and spills.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection (specify type)

Use self contained breathing apparatus & protecting clothing

Ventilation	Local Exhaust Provide general dilution or local exhaust Ventilation.	Special
	Mechanical (General)	Other

Protective Gloves: Chemical – resistant gloves

Eye Protection: Goggles

Other Protective Equipment: Impervious clothing & boots

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State	: Fine Powder
Color	: Black
Odour	: Odourless
Percentage Volatile	: N. A.
Specific Gravity	: 1.5-1.6

SECTION 10. STABILITY AND REACTIVITY

Stability	Unstable		Conditions to avoid: Avoid moisture & extreme temperature.
	Stable	Stable under 25° C	

Hazardous Decomposition Product: CO, CO2

Hazardous	May occur		Condition to avoid: Avoid moisture & extreme temperature
Polymerization	will not occur	√	

SECTION 11. TOXICOLOGICAL AND ECOLOGICAL INFORMATION

- . No experimental data for the product available
 - . Respiratory exposure to the solvent may lead to coughing, headache, dizziness, sickness, vomiting and drowsiness
 - . Long term exposure may lead to effect to the nervous system.
 - . Frequent or continuous skin contact causes irritation and may lead to dermatitis.
-

SECTION 12: ECOLOGICAL INFORMATION

It must not be allowed to reach soil, ground water or drains.

SECTION 13: DISPOSAL INFORMATION

Burn in a chemical incinerator with afterburner and scrubber.

Precautions to be taken in handling and storing:

1. Do not use in poorly ventilated or confined space without proper respiratory protection.
 2. Keep container closed when not in use.
 3. Store only in closed, properly labeled containers.
 4. Store to a cool place, away from heat & sources of ignition.
 5. Keep containers upright to prevent leakage.
 6. Dispose off in accordance with all applicable Local, State and country laws.
-

Other Precautions

1. Do not get in eyes.
 2. Avoid skin contact.
 3. Prevent repeated or prolonged breathing of vapors or spray mist.
-

SECTION 14. TRANSPORT INFORMATION

Class	Not Applicable
Packing Group	Not Applicable
Un number	Not Regulated
Designation of Goods	Powder

SECTION 15. REGULATORY INFORMATION

S22 : Do not breathe dust

S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 : After contact with skin, wash immediately with plenty of soap and water.

S61 : Avoid release to the environment . Refer to special instructions / Safety data sheets.

SECTION 16: OTHER INFORMATION

Note: The information in this MSDS is obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty, express or implied.



Prominent Australia Pty. Ltd.

Supplier and Distributor for Liquid Paints & Powder Coating Products

W: www.prominentaustralia.com.au E: support@prominentaustralia.com.au

MATERIAL SAFETY DATA SHEET

SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION

IDENTITY (As used on label and list):

Product Name: - Texture Black

SECTION 2: CHEMICAL IDENTITY & CHEMICAL COMPOSITION

Chemical Name:	Trade Name and Synonym:
Texture Black	Texture Black

CHEMICAL COMPOSITION:-

S.NO.	INGREDIENTS	CAS NO.	APPROX. %
1	SD Polyester Resin	61926-16-7	60-65
2	Carbon Black	1333-86-4	2-4
3	Performance Pigment	7727-43-7	25-30
4	Curing Agent	6334-25-4	3-10
5	Additive	14807-96-6	1-2
6	Others	--	10-15

SECTION 3: HAZARDS IDENTIFICATION

This product is not hazardous when handled under normal conditions of use.

By excessive exposure to dust from Powder Coatings, eye & respiratory tract irritation is possible.

Health Hazards (Acute and Chronic)

Chronic effect of overexposure: Health Hazards (Acute and Chronic) Acute effects of overexposure: Vapors or mist may cause mucous membrane irritation and upper respiratory tract discomfort. High concentration may result in headache, nausea, insensibility and other central nervous system effects.

Other Hazards

Other hazards which do : Fine dust clouds may form explosive mixtures with air. Handling and/or processing not result in classification of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

SECTION 4: FIRST AID MEASURES

Inhalation: Using proper respiratory protection, immediately remove the effected victim from exposure. Administer artificial respiration if breathing is stopped .Call for prompt medical attention.

Eyes: Gently rinse the affected eyes with clear water for 15 minutes. Arrange for transport to the nearest medical facility for examination and treatment by a physician as soon as possible.

Skin: Remove all contaminated clothing, shoes and socks as quickly as possible. Wash affected area under running water using a mild soap.

Ingestion: Rinse mouth with water and dilute with water. Induce vomiting

SECTION: 5 FIRE AND EXPLOSION HAZARD DATA

Extinguishing Media: Dry chemical powder, foam or carbon dioxide.

Special Fire Fighting Procedure

Remove all ignition sources, Keep personnel not involved with emergency activities away and upwind of fire. Water spray may be ineffective and may cause fire to spread. Water may be used to cool closed containers in order to prevent pressure build up which may result in an explosion. Use self contained breathing apparatus and protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Action to be taken for spills & leaks	:	The area should be kept well ventilated. Spillage removed by swabbing with water soaked rags.
Precautions with respect to environment	:	Avoid discharge into the environment. If the product contaminates lakes, rivers or sewers, inform appropriate authorities in accordance with local regulations.
Cleaning up spillage	:	Sweep up into suitable containers for disposal.

SECTION 7: PRECAUTIONS FOR HANDLING AND USE

Handling:

- . Handle in a well ventilated area
- . Seal the containers every time
- . Prohibit the nearby use of fire, sparks and high temperature.
- . As a measure against static electricity, ground the equipment and use explosion proof type of electrical equipment
- . Use spark prevention type tools
- . Immerse used rags, paint chip and spray dust, etc in water until they are discarded.
- . For work in a sealed location, have adequate local ventilation equipment and wear appropriate protective gear.
- . Spontaneous combustion may occur if rags, paper or rollers to which spray dust or product adheres are piled up, so keep them immersed in water until they are discard.

Conditions for Safe Storage:

Store in a dry, well ventilated place at temperature below 30°C, away from heat and direct sunlight. Keep away from open flames, sparks, oxidising agents, strong alkaline and acid chemicals. Keep containers properly sealed to prevent cross-contamination and spills.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection (specify type)

Use self contained breathing apparatus & protecting clothing

Ventilation	Local Exhaust Provide general dilution or local exhaust Ventilation.	Special
	Mechanical (General)	Other

Protective Gloves: Chemical – resistant gloves

Eye Protection: Goggles

Other Protective Equipment: Impervious clothing & boots

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State	: Fine Powder
Color	: Black
Odour	: Odourless
Percentage Volatile	: N. A.
Specific Gravity	: 1.5-1.6

SECTION 10. STABILITY AND REACTIVITY

Stability	Unstable		Conditions to avoid: Avoid moisture & extreme temperature.
	Stable	Stable under 25° C	

Hazardous Decomposition Product: CO, CO₂

Hazardous	May occur		Condition to avoid: Avoid moisture & extreme temperature
Polymerization	will not occur	√	

SECTION 11. TOXICOLOGICAL AND ECOLOGICAL INFORMATION

- . No experimental data for the product available
- . Respiratory exposure to the solvent may lead to coughing, headache, dizziness, sickness, vomiting and drowsiness
- . Long term exposure may lead to effect to the nervous system.
- . Frequent or continuous skin contact causes irritation and may lead to dermatitis.

SECTION 12: ECOLOGICAL INFORMATION

It must not be allowed to reach soil, ground water or drains.

SECTION 13: DISPOSAL INFORMATION

Burn in a chemical incinerator with afterburner and scrubber.

Precautions to be taken in handling and storing:

1. Do not use in poorly ventilated or confined space without proper respiratory protection.
2. Keep container closed when not in use.
3. Store only in closed, properly labeled containers.
4. Store to a cool place, away from heat & sources of ignition.
5. Keep containers upright to prevent leakage.
6. Dispose off in accordance with all applicable Local, State and country laws.

Other Precautions

1. Do not get in eyes.
2. Avoid skin contact.
3. Prevent repeated or prolonged breathing of vapors or spray mist.

SECTION 14. TRANSPORT INFORMATION

Class	Not Applicable
Packing Group	Not Applicable
Un number	Not Regulated
Designation of Goods	Powder

SECTION 15. REGULATORY INFORMATION

S22 : Do not breathe dust

S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 : After contact with skin, wash immediately with plenty of soap and water.

S61 : Avoid release to the environment . Refer to special instructions / Safety data sheets.

SECTION 16: OTHER INFORMATION

Note: The information in this MSDS is obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty, express or implied.



Prominent Australia Pty. Ltd.

Supplier and Distributor for Liquid Paints & Powder Coating Products

W: www.prominentaustralia.com.au E: support@prominentaustralia.com.au

MATERIAL SAFETY DATA SHEET

SECTION 1: CHEMICAL PRODUCT & COMPANY IDENTIFICATION

IDENTITY (As used on label and list):

Product Name: - Zinc Rich Powder Primer

SECTION 2: CHEMICAL IDENTITY & CHEMICAL COMPOSITION

Chemical Name:

Zinc Rich Powder Primer

Trade Name and Synonym:

Zinc Rich Powder Primer

CHEMICAL COMPOSITION:-

S.NO.	INGREDIENTS	CAS NO.	APPROX.%
1	Resin	25036-25-3	60-70
2	Carbon Black	1333-86-4	2-4
3	Performance Pigment	7727-43-7	5-10
4	Curing Agent	6334-25-4	3-10
5	Anti Corrosive Additive	7440-66-6	20-25
6	Others	--	10-15

SECTION 3: HAZARDS IDENTIFICATION

This product is not hazardous when handled under normal conditions of use.

By excessive exposure to dust from Powder Coatings, eye & respiratory tract irritation is possible.

Health Hazards (Acute and Chronic)

Chronic effect of overexposure: Health Hazards (Acute and Chronic) Accute effects of overexposure: Vapors or mist may cause mucous membrane irritation and upper respiratory tract discomfort. High concentration may result in headache, nausea, insensibility and other central nervous system effects.

Other Hazards

Other hazards which do : Fine dust clouds may form explosive mixtures with air. Handling and/or processing not result in classification of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

SECTION 4: FIRST AID MEASURES

Inhalation: Using proper respiratory protection, immediately remove the effected victim from exposure. Administer artificial respiration if breathing is stopped. Call for prompt medical attention.

Eyes: Gently rinse the affected eyes with clear water for 15 minutes. Arrange for transport to the nearest medical facility for examination and treatment by a physician as soon as possible.

Skin: Remove all contaminated clothing, shoes and socks as quickly as possible. Wash affected area under running water using a mild soap.

Ingestion: Rinse mouth with water and dilute with water. Induce vomiting

SECTION: 5 FIRE AND EXPLOSION HAZARD DATA

Extinguishing Media: Dry chemical powder, foam or carbon dioxide.

Special Fire Fighting Procedure

Remove all ignition sources, Keep personnel not involved with emergency activities away and upwind of fire. Water spray may be ineffective and may cause fire to spread. Water may be used to cool closed containers in order to prevent pressure build up which may result in an explosion. Use self contained breathing apparatus and protective clothing.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Action to be taken for spills & leaks	:	The area should be kept well ventilated. Spillage removed by swabbing with water soaked rags.
---------------------------------------	---	---

Precautions with respect to environment	:	Avoid discharge into the environment. If the product contaminates lakes, rivers or sewers, inform appropriate authorities in accordance with local regulations.
Cleaning up spillage	:	Sweep up into suitable containers for disposal.

SECTION 7: PRECAUTIONS FOR HANDLING AND USE

Handling:

- . Handle in a well ventilated area
- . Seal the containers every time
- . Prohibit the nearby use of fire, sparks and high temperature.
- . As a measure against static electricity, ground the equipment and use explosion proof type of electrical equipment
- . Use spark prevention type tools
- . Immerse used rags, paint chip and spray dust, etc in water until they are discarded.
- . For work in a sealed location, have adequate local ventilation equipment and wear appropriate protective gear.
- . Spontaneous combustion may occur if rags, paper or rollers to which spray dust or product adheres are piled up, so keep them immersed in water until they are discard.

Conditions for Safe Storage:

Store in a dry, well ventilated place at temperature below 30°C, away from heat and direct sunlight. Keep away from open flames, sparks, oxidising agents, strong alkaline and acid chemicals. Keep containers properly sealed to prevent cross-contamination and spills.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection (specify type)

Use salt contained breathing apparatus & protecting clothing

Ventilation	Local Exhaust Provide general dilution or local exhaust Ventilation.	Special
	Mechanical (General)	Other
Protective Gloves: Chemical – resistant gloves		Eye Protection: Goggles

Other Protective Equipment: Impervious clothing & boots

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State	: Fine Powder
Color	: Black
Odour	: Odourless
Percentage Volatile	: N. A.
Specific Gravity	: 1.45-1.60

SECTION 10. STABILITY AND REACTIVITY

Stability	Unstable		Conditions to avoid: Avoid moisture & extreme temperature.
	Stable	Stable under 25° C	

Hazardous Decomposition Product: CO, CO2

Hazardous	May occur		Condition to avoid: Avoid moisture & extreme temperature
Polymerization	will not occur	√	

SECTION 11. TOXYCOLOGICAL AND ECOLOGICAL INFORMATION

- . No experimental data for the product available
 - . Respiratory exposure to the solvent may lead to coughing, headache, dizziness, sickness, vomiting and drowsiness
 - . Long term exposure may lead to effect to the nervous system.
 - . Frequent or continuous skin contact causes irritation and may lead to dermatitis.
-

SECTION 12: ECOLOGICAL INFORMATION

It must not be allowed to reach soil, ground water or drains.

SECTION 13: DISPOSAL INFORMATION

Burn in a chemical incinerator with afterburner and scrubber.

Precautions to be taken in handling and storing:

1. Do not use in poorly ventilated or confined space without proper respiratory protection.
2. Keep container closed when not in use.
3. Store only in closed, properly labeled containers.
4. Store to a cool place, away from heat & sources of ignition.
5. Keep containers upright to prevent leakage.
6. Dispose off in accordance with all applicable Local, State and country laws.

Other Precautions

1. Do not get in eyes.
2. Avoid skin contact.
3. Prevent repeated or prolonged breathing of vapors or spray mist.

SECTION 14. TRANSPORT INFORMATION

Class	Not Applicable
Packing Group	Not Applicable
Un number	Not Regulated
Designation of Goods	Powder

SECTION 15. REGULATORY INFORMATION

S22 : Do not breathe dust

S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28 : After contact with skin, wash immediately with plenty of soap and water.

S61 : Avoid release to the environment . Refer to special instructions / Safety data sheets.

SECTION 16: OTHER INFORMATION

Note: The information in this MSDS is obtained from sources which we believe are reliable but cannot guarantee. Additionally, your use of this information is beyond our control and may be beyond our knowledge. Therefore, the information is provided without any representation or warranty, express or implied.
